

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

ARMSTER BRUNNER

COMPLAINANT

VS.

LEXINGTON SOUTH-ELKHORN WATER DISTRICT

DEFENDANT

CASE NO. 93-406

O R D E R

IT IS ORDERED that Lexington South-Elkhorn Water District ("Lexington South-Elkhorn") shall file the original and 12 copies of the following information with the Commission with a copy to all parties of record within 15 days of the date of this Order. Lexington South-Elkhorn shall furnish with each response the name of the witness who will be available to respond to questions concerning each item of information requested should a public hearing be scheduled.

1. Provide a copy of Armster Brunner's application for services.

2. Provide a copy of receipt given to Armster Brunner for the application fee.

3. Provide a copy of the original and amended policies regarding when a customer will be required to perform or pay for a

hydraulic analysis. Explain why this policy is not included in Lexington South-Bikhorn's tariff.

4. Provide the results of a water pressure analysis at the point on its system closest to the location in question.

5. Provide a copy of the utility's last annual pressure survey, highlighting the location on its system closest to the site in question.

Done at Frankfort, Kentucky, this 24th day of February, 1994.

PUBLIC SERVICE COMMISSION


For the Commission

ATTEST:


Executive Director